L Number	Hits	Search Text	DB	Time stamp
1	2	"6604176"	USPAT;	2003/10/30 15:00
*	_		US-PGPUB;	2000, 20,00 20,00
			EPO; JPO;	
	٠		DERWENT;	
			IBM_TDB	
_	49597	(inhibit\$3 with (transfer\$3 or writ\$4 or storage or storing))	USPAT;	2003/10/23 10:34
-	T3337	("Illinbitas with (transferas of writat of storage of storing))	US-PGPUB;	2003/10/23 10.34
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
	10	"6604176" same (((parity adj bit) or (logic adj signal) or	USPAT;	2003/10/23 10:33
-	10	((digital adj word)) with ("same" or different)	US-PGPUB;	2003/10/23 10.33
	ì	(digital adj word)) with (same of differency)	EPO; JPO;	
			DERWENT;	
	1.16	"SEQUITE" came (/ (navity adj hit) or (logic adj cional) or	IBM_TDB	2002/10/22 10:25
-	146	"6604176" same (((parity adj bit) or (logic adj signal) or	USPAT;	2003/10/23 10:35
	,	(digital adj word)))	US-PGPUB;	
ŀ		·	EPO; JPO;	
			DERWENT;	
	4.4		IBM_TDB	2002/40/22 40:25
-	11	((no-operation) or (no-op) or noop or (no adj operation))	USPAT;	2003/10/23 10:35
		same (controller)	US-PGPUB;	
			EPO; JPO;	
	•		DERWENT;	•
	10.100		IBM_TDB	2002/10/22 10 24
-	12438	(inhibit\$3 adj2 (transfer\$3 or writ\$4 or storage or storing))	USPAT;	2003/10/23 10:34
			US-PGPUB;	
			EPO; JPO;	·,
			DERWENT;	
			IBM_TDB	
-	60	((((no-operation) or (no-op) or noop or (no adj operation))	USPAT;	2003/10/23 10:35
		same ((data adj storage) or (memory adj storage))) same	US-PGPUB;	
		(inhibit\$3 or prevent or stop)) same (((parity adj bit) or	EPO; JPO;	
		(logic adj signal) or (digital adj word)))	DERWENT;	
	_		IBM_TDB	2002/40/22 40 25
-	4	((no-operation) or (no-op) or noop) same (controller)	USPAT;	2003/10/23 10:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	("Id Oand"no on"") DN	IBM_TDB	2002/40/22 40:55
-	0	("I19and"no-op"").PN.	USPAT	2003/10/23 10:56
-	0	("I19and"no-op"").PN.	USPAT	2003/10/23 10:57
-	0	("6636933and"no-op"").PN.	USPAT	2003/10/23 10:57
-	0	6636933and"no-op"	USPAT	2003/10/23 10:57
-	0	"6636933" and "no-op"	USPAT	2003/10/23 10:57
-	0	(714/718,763,800,805,819,820.ccls. and ((compare with	USPAT	2003/10/23 10:57
		(parity or logic)) same ((inhibit\$3 or prevent\$3) with		
		(store or write)))) and "no-op"	LICDAT	2002/10/22 10:50
-	1	(714/718,763,800,805,819,820.ccls. and ((compare with	USPAT	2003/10/23 10:58
		(parity or logic)) same ((inhibit\$3 or prevent\$3) with		
		(store or write)))) and operation	LICDAT	2002/40/22 40:50
-	1	(714/718,763,800,805,819,820.ccls. and ((compare with	USPAT	2003/10/23 10:58
.		(parity or logic)) same ((inhibit\$3 or prevent\$3) with		
	_	(store or write)))) and no-operation	LICDAT	2002/10/22 11:02
-	. 0	("walton-john-k.in.").PN.	USPAT;	2003/10/23 11:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		<u> </u>	IBM_TDB	l <u></u>

	31	walton-john-k.in.	USPAT;	2003/10/23 11:02
		·	US-PGPUB;	
		•	EPO; JPO;	
		,	DERWENT;	
1			IBM_TDB	
	712	emc adj corporation	USPAT;	2003/10/23 11:02
-	/12	enic auj corporación		2003/10/23 11.02
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
	. 1		IBM_TDB	-
-	2	address/control adj portion	USPAT;	2003/10/23 11:04
•			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1	"6636933"	USPAT;	2003/10/23 11:04
-	1	0030933		2003/10/23 11.04
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	}		IBM_TDB	
- '	13	"745573"	USPAT;	2003/10/23 11:04
			US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
•			IBM_TDB	
l .	10	117464061	USPAT;	2003/10/23 11:09
-	18	"746496"		2003/10/23 11.03
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12374	(no-operation) or (no-op) or noop or (no adj operation)	USPAT;	2003/10/23 11:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	50	((no-operation) or (no-op) or noop or (no adj operation))	USPAT;	2003/10/23 11:11
1-	30		US-PGPUB;	2003/10/23 11:11
		same ((data adj storage) or (memory adj storage))		
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	10	(((no-operation) or (no-op) or noop or (no adj operation))	USPAT;	2003/10/23 11:12
		same ((data adj storage) or (memory adj storage))) same	US-PGPUB;	
		(inhibit\$3 or prevent or stop)	EPO; JPO;	
		1, , ,	DERWENT;	
			IBM_TDB	
1_	2500	(no-operation) or (no-op) or noop	USPAT;	2003/10/23 11:17
_	2500	(ine operation) or (ine op) or mosp	US-PGPUB;	
1			EPO; JPO;	
1				
			DERWENT;	
1			IBM_TDB	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	67	((no-operation) or (no-op) or noop) same ((data adj	USPAT;	2003/10/23 11:15
1		storage) or (memory adj storage) or (memory adj write) or	US-PGPUB;	1
	1	(cache adj write) or (data adj write))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	57	((no-operation) or (no-op) or noop) same ((inhibit\$3 or	USPAT;	2003/10/23 11:17
1	3/		US-PGPUB;	2000,10,20 11.17
		prevent\$3) with (data adj storage) or (memory adj storage)		
		or (memory adj write) or (cache adj write) or (data adj	EPO; JPO;	
	}	write))	DERWENT;]
L	J		IBM_TDB	L.,

-	0	((no-operation) or (no-op) or noop) same ((inhibit\$3 or prevent\$3) with ((data adj storage) or (memory adj storage) or (memory adj write) or (cache adj write) or (data adj write)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 11:17
-	53	((no-operation) or (no-op) or noop) same ((system with bus))	USPAT; US-PGPUB; EPO; JPO;	2003/10/23 11:18
-	4	(((no-operation) or (no-op) or noop) same ((system with bus))) same (inhibit\$3 or prevent\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/10/23 11:21
		("E724 909"	EPO; JPO; DERWENT; IBM_TDB	2002/10/22 11/56
-	30	("5721898" "4430712" "4476526"	USPAT; US-PGPUB; EPO; JPO;	2003/10/23 11:56
		"4503501" "4755928" "5426761"	DERWENT; IBM_TDB	
		"5694570" "5815656" "5884055" "5890219"		
		"5890207" "5991775" "6061274"		
	11	"6218821" "6218821").pn.	LICDAT	2003/10/23 13:32
-	11	(("5721898" "4430712" "4476526" "4503501"	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 13:32
		"4755928" "5426761" "5694570"	IBM_TDB	
		"5815656" "5884055" "5890219"		
		"5890207" "5991775" "6061274"		
		"6218821" "6218821").pn.) and (error or parity)		
-	27	"4277844"	USPAT; US-PGPUB; EPO; JPO;	2003/10/23 13:53
-	5624	714/718,763,800,805,819,820.ccls.	DERWENT; IBM_TDB USPAT;	2003/10/24 11:27
			US-PGPUB; EPO; JPO; DERWENT;	
-	5624	714/718,763,800,805,819,820.ccls.	IBM_TDB USPAT; US-PGPUB;	2003/10/23 14:38
,			EPO; JPO; DERWENT; IBM_TDB	

-	57	714/718,763,800,805,819,820.ccls. and ((parity or logic)	USPAT;	2003/10/23 14:50
		same ((inhibit\$3 or prevent\$3) with (store or write)))	US-PGPUB;	
		((EPO; JPO;	
			DERWENT;	
			IBM_TDB	
		714/710 762 000 005 010 020 cele _ and / (navity on locie)		2002/10/22 14/51
. -	6	714/718,763,800,805,819,820.ccls. and ((parity or logic)	USPAT;	2003/10/23 14:51
	1	same ((inhibit\$3 or prevent\$3) with (store or write)) same	US-PGPUB;	
		compare)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1	714/718,763,800,805,819,820.ccls. and ((compare with	USPAT;	2003/10/23 14:52
	_	(parity or logic)) same ((inhibit\$3 or prevent\$3) with	US-PGPUB;	,,
		(store or write)))	EPO; JPO;	
		(Store or write))	DERWENT;	
			1	
		744/749 769 995 949 999 4	IBM_TDB	
-	327	714/718,763,800,805,819,820.ccls. and (compare with	USPAT;	2003/10/23 14:53
		(parity or logic))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	15	714/718,763,800,805,819,820.ccls. and ((compare with	USPAT;	2003/10/23 15:05
	15	(parity or logic)) same (prevent\$3 or inhibit\$3))	US-PGPUB;	2003/10/23 13.03
		(parity of logic)) same (prevents) of inhibits))		
			EPO; JPO;	
		•	DERWENT;	
		•	IBM_TDB	
-	876	(compare with (parity or logic)) same (prevent\$3 or	USPAT;	2003/10/23 15:06
		inhibit\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	20	(compare with (parity or logic)) same (prevent\$3 or	USPAT;	2003/10/23 15:06
-	20			2003/10/23 13.00
		inhibit\$3) same ((data adj storage) or (memory adj	US-PGPUB;	
		storage))	EPO; JPO;	
•			DERWENT;	
			IBM_TDB	
-	1	"6636933"	USPAT	2003/10/23 15:31
-	1	"6636933"	USPAT	2003/10/23 15:31
-	24	"4277844"	USPAT	2003/10/23 17:14
_	2	(data adj storage) with ((noop or no-op or no-operation))	USPAT;	2003/10/24 11:31
	-	(udda daj storage) mark (nosp or no op or no operation))	US-PGPUB;	2005/10/2111:01
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	2	"6414956"	USPAT;	2003/10/24 13:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		· ·	IBM_TDB	1 '
_	74	redundant same parity same (inhibit\$3 or prevent\$3)	USPAT;	2003/10/24 15:50
	/ 7	reduited it same party same (initibility) of preventings	US-PGPUB;	2003/10/24 13.30
	ŀ			
	Ì.		EPO; JPO;	
			DERWENT;	
		<u>'</u>	IBM_TDB	
	2	(("6636933") or ("6604176")).PN.	USPAT	2003/10/24 16:18
-	9	("3889236" "4346474" "4872158" "4988993"	USPAT	2003/10/24 15:47
		"4993016" "5122892" "5258987" "5311345"		
		"5345441").PN.		
_	0	708/430.ccls.	USPAT;	2003/10/24 15:50
_		/ 00/ TJ0,003.		2003/10/24 13.30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1	ļ ·	IBM_TDB	I

		700/5201-	LICDAT	2002/10/24 15:51
-	95	708/530.ccls.	USPAT;	2003/10/24 15:51
			US-PGPUB;	·
1		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	708/530.ccls. and parity	USPAT;	2003/10/24 15:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	29	"5475858"	USPAT	2003/10/24 16:12
_	6	"5033050"	USPAT	2003/10/24 16:13
	1	("0315437").PN.	USPAT;	2003/10/24 16:19
-		(USISTS7).FN.	US-PGPUB	2003/10/2110.13
		(UCEOE334U) DN	USPAT;	2002/10/24 16:27
-	1	("6505321").PN.		2003/10/24 16:37
	1		US-PGPUB	2002/40/24 46 20
-	29	pair adj2 control adj section	USPAT;	2003/10/24 16:38
] .]	·	US-PGPUB	
-	29	pair adj2 control adj sections	USPAT;	2003/10/24 16:38
			US-PGPUB	
	239	"5206939"	USPAT	2003/10/24 17:03
-	87	"4245344"	USPAT	2003/10/24 17:04
-	61	"4245344" and (control with address)	USPAT	2003/10/24 17:04
-	0	inhibit with data with storage with (no-op or noop or	USPAT;	2003/10/27 11:46
		no-operation)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	0	inhibit with data with storage same (no-op or noop or	USPAT;	2003/10/27 11:46
-			US-PGPUB;	2003/10/27 11:10
	,	no-operation)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	2002/10/27 11:46
-	0	(inhibit with data with storage) same (no-op or noop or	USPAT;	2003/10/27 11:46
Į		no-operation)	US-PGPUB;	
			EPO; JPO;	
i			DERWENT;	
			IBM_TDB	
-	560	714/802,805.ccls.	USPAT;	2003/10/27 16:15
			US-PGPUB;	
			EPO; JPO;	
	•		DERWENT;	
			IBM_TDB	
-	97	714/802,805.ccls. and ((inhibit or prevent) with (data or	USPAT;	2003/10/27 16:15
	1	storage or memory))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	26	714/802,805.ccls. and ((inhibit or prevent) with (data or	USPAT;	2003/10/27 16:15
-	20	storage or memory) with parity)	US-PGPUB;	2000,10,27 10.15
	1	storage of memory) with parity)	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	